

## **Coadd™ D-6290**

### **DISPERSANT**

#### **DESCRIPTION**

**Coadd™ D-6290** is a polymer dispersant specifically designed for water-borne coatings that can stabilize the effect of pigments. It has the effect of aiding the orientation of pigments, and can be used together with directional additives to achieve better surface effects. Commonly used in pigment slurry systems without or containing resin dispersions. This product is also suitable for dispersion systems of water-borne inorganic and organic pigments, which can improve the stability and color development of the pigment system

#### **PHYSICAL PROPERTIES**

Appearance	Yellow to brown liquid
Density (g/ml)	0.99
Viscosity (25°C, mPas)	< 1500
Active content (%)	100

Note: These properties are only typical, and do not represent product specifications

#### **APPLICATION CHARACTERISTIC AND ADVANTAGES**

**Coadd™ D-6290** Suitable for water-based metal, leather, plastic coatings, especially for the dispersion of effect pigments. It can effectively improve stability and directional effect.

The recommended dosage is 10% -40% based on the effect pigment.

In the co grinding system of inorganic and organic color pastes, the addition amount is 5-50% according to actual needs, used to improve stability and color development. This product is a polymer with a 100% content. When the temperature decreases, there will be an increase in viscosity and partial crystallization. After heating, it can be restored to its original viscosity and can be directly applied without affecting product performance.

#### **SAFETY NOTICE**

Before using the products, please refer to SDS for detailed safety data, handling and storage procedures recommended.

#### **DISCLAIMER**

It is common proposal for product usage and demand above information based on our professional knowledge. Due to environmental uncertainty and out of our control from practical process, please test and make evaluation ahead of use to ensure efficient and safe. For your reference, the above information is only for commonly known and use the product. It is guaranteed to meet quality and product specification.

**\*\*Please refer to SDS for more information**